

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number : 7,070,917 B1 Confirmation No. 4417
Issued : July 4, 2006
Inventor : Preben Christensen et al.
Title : DETERMINATION OF SPERM CONCENTRATION AND
VIABILITY FOR ARTIFICIAL INSEMINATION
Docket No. : 60123.000002
Customer No. : 21967

CERTIFICATE OF CORRECTION BRANCH

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Sir:

It is respectfully requested that a Certificate of Correction be issued in the above-identified patent.

Attached is an original and a copy of Certificate of Correction Form PTO/SB/44, for the instant patent. It is requested that these forms be certified by the Commissioner, with one form being returned to the undersigned attorney.

The attached Certificate of Correction Forms PTO/SB/44 indicate the type and location of an error which occurred in the above-identified patent. The errors include:

- In claim 14, lines 54-55, delete "subsample is combined"
- In claim 25, line 41, insert --in the parameters-- after "sample, "
- In claim 27, line 58, insert a comma between "experiments" and "the proportion"
- In claim 32, line 16, insert --, in the parameters-- after "sample"
- In claim 32, line 17, insert --, in the parameters-- after "predicted, and"
- In claim 32, line 17, insert --the-- between "on" and "basis"


Applicant hereby authorizes Commissioner to charge **\$100.00** as stipulated under 37 CFR 1.20(a), for the fee due with this Certificate of Correction. If additional fees are determined to be due for consideration of the entry of this Certificate of Correction, the Commissioner is hereby authorized to charge required fees to the undersigned's **Deposit Account No. 50-0206**.

Respectfully submitted,

HUNTON & WILLIAMS LLP

Dated: June 25, 2007

By:


Jeff B. Vockrodt
Registration No. 54,833

HUNTON & WILLIAMS
1900 K Street, NW, Suite 1200
Washington, DC 20006-1109
(202) 955-1500 (Telephone)
(202) 778-2201 (Facsimile)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : US 7,070,917 B1
APPLICATION NO.: 09/914,765
ISSUE DATE : July 4, 2006
INVENTOR(S) : Preben Christensen; Jens Peter Stenvang

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 14, lines 54-55, delete "subsample is combined"

In claim 25, line 41, insert --in the parameters-- after "sample,"

In claim 27, line 58, please insert a comma between "experiments" and "the proportion"

In claim 32, line 16, insert --, in the parameters-- after "sample"

In claim 32, line 17, insert --, in the parameters-- after "predicted, and"

In claim 32, line 17, insert --the-- between "on" and "basis"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

JEFF B. VOCKRODT, ESQ. (54,833)
HUNTON & WILLIAMS LLP
1900 K Street, NW
Washington, DC 20006-1109

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.